Die Set Lube 2696

# **SECTION I - IDENTIFICATION**



Rock Valley Oil & Chemical 1911 Windsor Road Rockford, IL 61111 (815) 654-2400

(800)535-5053 Outside US: :.... (352) 323-3500

Product Number DIE2696

Product Name Die Set Lube 2696
Chemical Family Industrial Lubricant

CAS Number Multiple
Date Prepared 1/23/2019
Revision Number 1/23/2019

Recommended Use Industrial Use Only

# **SECTION II - HAZARDOUS IDENTIFICATION**

# **GHS CLASSIFICATION:**

### Classification

Not a Hazardous Substance or Mixture

No Hazards

### **GHS LABEL:**

# **Hazard Statements**

NC Not a Hazardous Substance or Mixture

# Die Set Lube 2696

### **Precautionary Statements**

Not a Hazardous Substance or Mixture NC

### **SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS**

Component Name	CAS#	Component%	OSHA PEL	ACGIH TLV
Distillates and Residual Oil	64741-88-4	70 - 100	5 mg/m³ (Oil Mist)	5 mg/m³ (Oil Mist)
Olefin Sulfide	72162-26-6	5 - 10	5 mg/m3	5 mg/m3

### **SECTION IV - FIRST AID MEASURES**

Contact with eyes: Flush with water for 15 minutes. Seek medical attention if irritation persists.

Wash exposed areas with water and mild soap. Remove contaminated clothing and Skin contact:

launder before reuse. If irritation persists, seek medical attention.

Remove victim to fresh air. Administer oxygen or artificial respiration if breathing is Inhalation:

affected or stopped. Seek immediate medical attention.

Ingestion: If swallowed. Do not induce vomiting. Seek immediate medical attetntion.

### **SECTION V - FIREFIGHTING MEASURES**

Suitable Extinguishing Media: Water fog, foam, CO2, dry chemical.

Special Fire Fighting Procedures Use self-contained breathing apparatus and full bunker gear in fire areas.

Evacuate all unprotected personnel from area. Keep containers cool with water fog to minimize swelling taking care not to spread flames with water

used for cooling.

Unusual Fire Fighting Hazards: No unusual fire hazards known. Combustible liquid.

Die Set Lube 2696

### **SECTION VI - ACCIDENTAL RELEASE MEASURES**

**Personal Precautions:** Keep all sources of ignition and hot metal surfaces away from spill or

release.

Environmental Precautions: Contain spill if it can be done with minimal risk. Prevent liquid from

entering drains, sewers or waterways. Notify proper authorities.

Methods for Cleaning Up: Using only non-sparking tools and explosion proof equipment, collect

spill on absorbent material and put into approved container.

### **SECTION VII - HANDLING AND STORAGE**

**Handling and Storage:** • NFPA Class III B storage.

Do Not cut or weld on empty or full drums.

### SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

### **EXPOSURE LIMITS:**

Component Name	CAS#	OSHA PEL	ACGIH TLV
Distillates and Residual Oil	64741-88-4	5 mg/m³ (Oil Mist)	5 mg/m³ (Oil Mist)
Olefin Sulfide	72162-26-6	5 mg/m3	5 mg/m3

Engineering Controls: Adequate local or mechanical to reduce vapor or mist to below the PEL or

TLV.

**Monitoring:** Follow accepted work and hygiene practices for handling combustible

product.

Personal Protective Equipment (PPE)

**Eye Protection:** Recommend goggles or approved OSHA device with side shields.

**Skin Protection:** Impervious solvent resistent gloves. Impervious apron and work boots

recommend where splashing may occur.

Respiratory Protection: Use the proper respirator in areas devoid of proper ventilation, and the

chemical exposure is above the OSHA PEL or ACGIH TLV.

### **SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

Die Set Lube 2696

Appearance	Dark Liquid
Odor	Mild Gear Lube Odor
pH@25°C	N/A
Melting/Freezing Point	N/Av
Flashpoint	570°F (COC)
Specific Gravity	0.916
Solubility	Negligible
Auto-Ignition Temperature	N/Av
Decomposition Temperature	N/Av
VOC Content	0
Odor Threshold	N/Av
Boiling Range	N/Av
<b>Evaporation Point</b>	N/Av
Flammable Limits - Upper	N/Av
Flammable Limits - Lower	N/Av
Vapor Pressure	0 mm Hg @ 68°F
Vapor Density (Air=1)	>1
Viscosity	930 cSt @ 40 C

Stability: Stable

**Conditions to Avoid:** Extreme heat and ignition sources.

Hazardous Decomposition/Byproducts: CO, CO2, and various hydrocarbons under combustion

conditions.

Hazardous Polymerization: Will not occur.

Polymerization Conditions to Avoid: None

**Incompatibilities:** Stong oxidizers

Die Set Lube 2696

### **SECTION XI - TOXICOLOGICAL INFORMATION**

**Likely Route of Exposure:** Contact and inhalation; ingestion possible.

**Inhalation:** Low to moderate degree of toxicity by inhalation.

**Eye Contact:** May cause eye irritation including stinging, watering and redness which

may result in corneal injury.

**Skin Contact:** Contact may cause mild skin irritation including redness, burning and

drying/cracking of the skin. No harmful effects from skin adsorption are

expected.

**Ingestion:** Low degree of toxicity by ingestion.

# **Toxicity:**

Component Name	LD50	LC50
Distillates and Residual Oil	Not Established	Inhalation - Rat - 4 h - > 5.33 mg/l
Olefin Sulfide	Not Established	Not Established

Reproductive Effects	Teratogenicity	Mutagenicity	Embryotoxicity	Sensitization to Product	Synergistic Products
Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

### **SECTION XII - ECOLOGICAL INFORMATION**

**Ecotoxicity:** Information not available.

**Mobility:** Information not available.

**Degradability:** Information not available.

BioAccumulation: Information not available.

### **SECTION XIII - WASTE DISPOSAL CONSIDERATIONS**

Follow Federal, state, and local regulations.

Die Set Lube 2696

### **SECTION XIV - TRANSPORT INFORMATION**

### **DOT SHIPPING INFORMATION**

Proper Shipping Name: Not Regulated

**Contains:** 

Hazard Class and Label: Identification Number: Packaging Group: Other Shipping Info:

### **SECTION XV - REGULATORY INFORMATION**

TSCA STATUS:..... The components of this product are listed on the TSCA Inventory

### SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

### SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:

Acute	Chronic	Fire	Pressure	Reactive
N/A	N/A	N/A	N/A	N/A

### **SARA TITLE III SECTION 313 SUPPLIER INFORMATION:**

No chemicals in this material are subject to the reporting requirements.

### **CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:**

No chemicals in this material are subject to the reporting requirements.

### **CALIFORNIA PROPOSITION 65:**

No chemicals in this material are subject to the reporting requirements.

### **SECTION XVI - OTHER INFORMATION**

Additional: